

10 18

AT SEA
SPECIMEN
RECORD


CATALOG


SIC 19



Seafly Team

7530-222-3525
FEDERAL SUPPLY SERVICE
(GPO)





| Field No. | Species | Date | Position | Sex Data | Age | Weight & Fat Condition | Misc. Data | Prep. |
|-----------|--|----------------|-----------------------------|---|-----------|------------------------|-------------|------------------|
| 2718 | <i>Sula sula</i> | 15 March 1967 | offshore - Palmyra Island | Gonads not found | SA. Unkn. | ? | Light fat | SKIN |
| 2719 | <i>Pterodroma</i> setacea ♀ | 15 March | 01° 13' S 158° 56' W | Ovary 4mm Light fat. Ovary 12x5 | A ♀ | 262.0gms | fat light | D.L. Stadel 718 |
| 2720 | <i>Sterna fuscata</i> | 16 March | ? | Testes 2mm | Ad ♀ | 163.9gms | | SKIN |
| 2721 | <i>Oceanodroma leucorhoa</i> | 16 March | ? | L. Testis 12x5mm | ♂ | 45.2gms | fat light | D.L. Stadel 681 |
| 2722 | <i>Phaethon lepturus</i> | 6 April, 1967 | 09° 17' S 163° 35' W | ovary minute | Ad | 309.3gms | fat light | SKIN |
| 2723 | " " | " | 09° 02' S 163° 06' W | Teste minute | Sub-Adult | 214.5gms | no fat | D.L. Stadel #671 |
| 2724 | <i>Oceanodroma leucorhoa</i> | 4 April, 1967 | 06° 24' S 157° 32' W | Heavy molt on body | ♂ | 39.4gms | light fat | SKIN |
| 2725 | <i>Bulweria bulwerii</i> | 5 April, 1967 | 07° 46' S 160° 18' W | Ovary 6mm | A ♀ | 75.6gms | Medium fat | SKIN |
| 2726 | <i>Puffinus pacificus</i> | 6 April, 1967 | ? | Covered Brood Patch | ♀ | 333.5gms | | SKIN |
| 2727 | <i>Frigata ariel</i> | 1 April, 1967 | offshore - Malden Island | Ovary 5mm | ♂ | 983.6gms | | SKIN |
| 2728 | <i>Frigata minor</i> | 1 April, 1967 | offshore - Malden Island | General body, neck & head | ♀ | 1070.8gms | | SKIN |
| 2729 | <i>Sula sula</i> | 8 April, 1967 | 13° 52' S 169° 58' W | Ovary 6mm brood patch bare | ♀ | 873.8gms | Medium fat | SKIN |
| 2730 | <i>Sterna fuscata</i> | 7 April, 1967 | 12° 09' S 167° 47' W | Ovary 12x5mm largest ovum 1mm | Ad ♀ | 160.1gms | fat light | S. |
| 2731 | " " | 7 April, 1967 | 12° 41' S 167° 43' W | Ova 10x4 2mm | Ad ♀ | 182.7gms | | SKIN |
| 2732 | " " | " | 11° 57' S 167° 31' W | Brood patch Bare | Ad ♂ | 216.0gms | fat heavy | S. |
| 2733 | <i>Pterodroma alba</i> | " | 11° 51' S 167° 27' W | L. Testis 13x7mm No brood patch | Ad ♂ | 309.7gms | fat light | SKIN |
| 2734 | <i>Puffinus pacificus</i> | " | 12° 03' S 167° 42' W | L. Testis 2x1mm, dark Brood patch unfeathering | Ad. ♀ | 292.4gms | fat mod. | S. |
| 2735 | " " | 7 April, 1967 | 12° 01' S 167° 41' W | Ovary 23x9mm largest ovum 19x6mm No brood patch | ♂ | 399.2gms | fat mod | SKIN |
| 2736 | " " | " | 11° 57' S 167° 31' W | L. Testis 2x3mm Ovary 6mm | Ad ♀ | 411.0gms | fat light | S. |
| 2737 | " " | " | 11° 53' S 167° 29' W | Molted Neck, body & Head Teste minute (2mm) | Ad ♂ | 363.0gms | Light fat | SKIN |
| 2738 | " " | " | 11° 44' S 167° 27' W | Ovary 10x4 Ova 2mm Brood Patch Unfeathering | Adult ♀ | 368.8gms | | SKIN |
| 2739 | " " | " | 11° 45' S 167° 37' W | Ovary 6.5mm Brood Patch Bare | ♀ | 391.9gms | Light fat | SKIN |
| 2740 | <i>Sterna fuscata</i> | 16 April 1967 | 00° 21' N 175° 15' W (1500) | Testes 10x5mm (LIGHT) | ADULT ♂ | 194.8 | - heavy fat | FLAT SKIN |
| 2741 | " " | 16 April 1967 | 00° 21' N 175° 15' W (1500) | Brood Patch Bare ovary 22x8mm L. ovum 15mm. | ADULT ♀ | 227.4 | - heavy fat | FLAT SKIN |
| 2742 | " " | " | 00° 35' N 175° 37' W | Ovary 13mm No brood patch | Adult ♀ | 170.0gms | | SKIN |
| 2743 | <i>Oceanodroma leucorhoa</i> | " | 01° 27' S 176° 31' W | L. Testis 1x.5 mm No brood patch | Ad. ♂ | 36.9gms | fat light | S. |
| 2744 | " " | " | 01° 27' S 176° 34' W | ovary minute | ♀ | 41.9gms | fat light | SKIN |
| 2745 | " " | 17 April, 1967 | 00° 08' N 176° 34' W | No brood patch | ♂ | 43.9gms | fat light | S. |
| 2746 | <i>Sterna fuscata</i> | 21 April, 1967 | 00° 10' S 175° 41' W | L. Testis 1 mm Brood patch bare | Ad. ♀ | 212.7gms | fat mod. | SKIN |
| | | | | largest ovum 3mm | | | | F. Smith #257 |

| Field No | Species | Date | Position | Sex Data | Age. | Weight & Fat cond. | Misc. Data | Area |
|----------|------------------------------|----------------|-------------------------|--|-----------|--------------------|------------|--------------------------------|
| 2747 | <i>Sterna fuscata</i> | 21 April, 1967 | 00° 12' S 175° 41' W | | Ad. | 172.1gms | CN | Alcoholic |
| 2748 | <i>Oceanodroma leucorhoa</i> | " | 00° 18' N 175° 35' W | | Ad ♀ | 43.2gms fat light | CN | SKIN |
| 2749 | <i>Sterna fuscata</i> | | offshore Howland Island | | Ad ♂ | 176.9gms fat mod. | CN | S. |
| 2750 | " " | | offshore Howland Island | | Ad | 191.2gms | CN | Alcoholic |
| ✓2751 | <i>Phaethon rubricauda</i> | 24 April, 1967 | 04° 33' N 172° 31' W | Unknown brood patch refeathered ovary 13x8mm largest ovum 1mm | Sub-Adult | 758-2gms | M | skin |
| 2752 | <i>Sterna fuscata</i> | 22 April, 1967 | 01° 01' N 176° 45' W | No brood patch ovary 10x8mm largest ovum 1mm | Ad ♀ | 200.4gms fat mod | CN | FWS 953-21638 Blue Streamer |
| 2753 | " " | " | 01° 01' N 176° 45' W | ovary 10x4 mm | Ad ♀ | 181.6gms fat light | CN | SKIN |
| ✓2754 | <i>Puffinus pacificus</i> | 24 April, 1967 | 04° 57' N 172° 43' W | Teste 12x7 mm | Ad ♀ | 215.0gms | CN | skin |
| ✓2755 | " " | 7 April, 1967 | 11° 57' S 167° 31' W | Brood Patch Uncovering | Ad ♂ | 393.5gms | CN | D.L. Stadel 684 |
| ✓2756 | " " | 24 April, 1967 | 04° 51' N 172° 43' W | Teste 2mm black | ♂ | 386.0gms light fat | M. | skin |
| 2757 | " " | 25 April, 1967 | 07° 30' N 170° 26' W | ovary minute? badly shot up | | 353.0gms fat mod | CN. | S. |
| 2758 | " " | 24 April, 1967 | 05° 30' N 172° 40' W | Brood patch unfeathering L. testis 15x8mm | Ad ♂ | 314.8gms fat mod | M | skin |
| ✓2759 | <i>Sula dactylatra</i> | | ? | | | 1647.3gms | CN | D.L. Stadel 685 |
| ✓2760 | " " | 25 April, 1967 | 06° 19' N 171° 29' W | Possibly female? | | 1520 gms | M | skin |
| ✓2761 | " " | 25 April, 1967 | 06° 19' N 171° 29' W | | SA. Unkn | 1555gms light fat | | D.L. Stadel 686 |
| ✓2762 | " " | 24 April, 1967 | 04° 57' N 172° 36' W | Possibly female? | | 1820gms | | Blue Str. skin |
| ✓2763 | " " | 25 April, 1967 | 06° 19' N 171° 26' W | | SA. Unkn | 1563gms light fat | M | D.L. Stadel 720 |

